



ZOO BUDDY DOUBLE WITH LID

Instructions

Maintenance:

- Before each use, ascertain that all the fasteners are firmly tightened and all the parts are securely fastened.
- Always wipe the product with a plain, dry cloth regularly and avoid using harsh chemicals.

Caution:

- The product must be assembled by an adult only. Keep all the parts out of the reach of kids until the product is fully assembled.
- Always place the product on an even surface. Using it on concrete or a rough surface can make it unsteady and may cause injuries.
- Packaging materials are not safe to play with and should be kept away from kids.
- Adult supervision is recommended when kids are using this product.

Warnings:

- Always assemble on a non-abrasive surface, ideally a carpet, to avoid scratches and make sure there are no sharp objects placed nearby.
- Avoid over-tightening the fasteners as it may cause damage to the parts.

Part Details



Side Panel x 2



Seat (with a pre-fitted support pipe on its underside) x 1



Storage Shelf x 1



Key x 2



Support Bar x 3



Table Top x 1



Instruction Manual x 1



Lid x 2



Medium Nut x 20 (2 Spare)

List of Parts	No.
Side Panel	2
Seat	1
Storage Shelf	1
Support Bar	3
Table Top	1
Medium Nut	20 (2 Spare)
Key	2
Lid	2
Instruction Manual	1

1 Assembly Instructions

STEP

Required Assembly Parts




Side Panel x 1



Storage Shelf x 1



Seat x 1



Key x 1

Medium Nut x 4

Before starting the assembly, lay out a carpet on the floor to avoid scratches.



Take a side panel and the storage shelf from the packaging. Align the threaded pins on one of the shorter edges of the storage shelf with the designated slots on the side panel. Push the storage shelf sideways, sliding its threaded pins through the slots. Put a medium nut onto the end of each pin and tighten the nuts with the key provided in the packaging.



Position and secure the seat to the side panel with two medium nuts. **Note:** For proper alignment, make sure the end of the support pipe (underside of the seat) fits into the rectangular slot on the inner side of the side panel.

Model No: ZBDWL_1

3+
YEARS



Scan to Connect

Before starting the assembly, please ensure that the part quantity matches the numbers listed in the manual. If you find any discrepancies in the part count or encounter any product-related issues, feel free to reach out to us at +918221001033 or connect with us via WhatsApp in between 9:30-6PM, Monday to Saturday. We're here to assist you!

DISCLAIMER: ACTUAL PRODUCT COLOR MAY VARY FROM THAT SHOWN IN THE IMAGE

2 STEP

Required Assembly Parts



Subassembly (Step 1)




Support Bar x 3



Medium Nut x 3



Key x 1



Take a support bar from the packaging and attach it to the subassembly (step 1) with a medium nut as shown in the image above.

Note: Before securing, make sure the rough surface of the support bar is oriented towards the back and the curved edge towards the top.

Position and fasten a support bar to the subassembly with a medium nut as shown in the image above.

Note: Before fastening, make sure the smooth surface of the support bar is facing upwards and the curved edge is pointing forward.

Secure the remaining support bar to the subassembly with a medium nut as shown in the image.

Note: Before tightening the nut, make sure the smooth surface of the support bar is oriented towards the front.



3 STEP

Required Assembly Parts



Subassembly (Step 2)



Table Top x 1



Side Panel x 1



Medium Nut x 11



Key x 1



Rectangular indentations on the table top oriented towards the front

Take the table top from the packaging and secure it to the subassembly (step 2) with two medium nuts.

Note: Make sure the table top is positioned correctly with its rectangular indentations oriented towards the front.



Take the other side panel and fasten it to the subassembly with nine medium nuts.



4
STEP



Required Assembly Parts




Subassembly (Step 3)



Lid x 2



Lid Pin



Lid Pin



- A. Take a lid from the packaging and place it over the table top ensuring it is oriented correctly. Align one lid pin with the designated slot on the side panel and other pin with the designated slot on the table top.
- B. Gently insert the aligned pin into the hole on the side panel.
- C. Apply gentle pressure on the opposite side of the lid, pressing it down until the other pin snaps securely into the slot on the tabletop.

Repeat the above mentioned steps to fix the other lid on the subassembly.

Your Zoo Buddy Double With Lid is now ready for use! It's time to unlock your creative side!

